



SENSITISATION TEST

Title	Human Repeated Insult Patch Test (HRIPT) – Final Safety Clinical Test (FSCT).
Objective	To confirm the absence of delayed contact sensitisation potential and assess the skin compatibility of a product after repeated applications under maximalising conditions.
Schedule	Duration of the study: 6/8 weeks. Beginning: According to annual schedule (several panels once a month). Report: 2/3 weeks after the end of the study.
Methodology	Clinical assessment of the cutaneous response, according to adapted method of Marzulli & Maibach or Shelanski.
Procedure	<p>Induction phase:</p> <ul style="list-style-type: none">• Skin examination of application site.• Application of the product to the back of the subjects 3 times per week for 3 consecutive weeks under occlusive or semi occlusive patch (according to its composition and/or category or class of product).• Patch removal after 24/48 or 72 hour-contact with the skin.• Skin examination of the application site after each patch removal. <p>Rest period: 2 consecutive weeks at least (4 weeks at the most) with no product application.</p> <p>Challenge phase:</p> <ul style="list-style-type: none">• Single application of the product under patch to the induction site and to a virgin site.• Patch removal after 24 / 48 hour-contact with the skin.• Skin examination of the application sites before application and at least 15 minutes/24 hours/48 hours/72 hours/96 hours after patch removal.